EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("(submitortransmit)with(priorityorsecurity)with(queryorrequest)").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/05 13:49
L2	1989	(submit or transmit) with (priority or security) with (query or request)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:51
L3	899	(submit or transmit) near2 (query or request) with (priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:51
L4	192	(submit or transmit) near2 (priority or security) near2 (query or request)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:52
L5	6	(submit or transmit) near2 (priority or security) near2 (query or request) and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:55
L6	2	(submit or transmit) near2 (priority or security) near2 (query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:55
L7	66	(submit or transmit) with (priority or security) with(query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:03
L8	13	"hybrid query"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:05
L9	251	sql with non-sql	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:06

EAST Search History

L10	107	sql with non-sql with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:12
L11	0	combine with sql with non-sql with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:06
L12	1	query near includes near priority	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:12
L13	2	query near2 includes near2 priority	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:22
L14	22	query near2 includes with priority	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 14:22
L21	0	("7096224").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/05 17:05
L22	1	("20030140308").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/05 17:05
S1	115	control adj information same SQL	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 13:48
S2	36	control adj information with SQL	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:37

EAST Search History

S3	85	("20020099743"|"20020107892"|"20020194191"|"20030014394"|"20030079100"|"20030220951"|"20030233620"|"20030236781"|"20030236782"|"20040030707"|"20040034618"|"20040034619"|"20040054933"|"20040064466"|"20040068586"|"5133075"|"5241305"|"5276901"|"5499368"|"5659539"|"5694523"|"5708822"|"5737736"|"5748899"|"5768580"|"5784699"|"5787428"|"5809266"|"5845128"|"5857180"|"5864682"|"5870759"|"5870765"|"5884325"|"5926816"|"5940818"|"5978818"|"6061675"|"6073163"|"6098081"|"6112226"|"6119154"|"6134549"|"6134558"|"6138147"|"6160549"|"6199034"|"6225995"|"6253203"|"6266673"|"6275824"|"6295610"|"6308273"|"6324567"|"6334114"|"6363387"|"6370522"|"6370619"|"6434685"|"6457019"|"6470423"|"6487545"|"6487552"|"6493722"|"6499095"|"6529586"|"6529885"|"6539398"|"6549916"|"6564223"|"6578037"|"6587854"|"6591295"|"6601071"|"6604182"|"6609121"|"6678697"|"6678822"|"6684227"|"6708186"|"6715050"|"6738782"|"6745332"|"6847998"|"6920457").PN.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/05 17:05
S4	1	security adj access same database adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:03
S6	5	security adj access with sql	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:23
S7	23	security adj access same sql	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:23
S8	312	control adj information with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 11:52

EAST Search History

S9	40	control adj information with query with parameter	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:57
S10	0	control adj information with query with parameter with tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 10:57
S11	0	control adj information with query same persistent adj memory	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:08
S12	13	control adj information with query same memory	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:03
S13	1	control adj information with query same database adj session	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:04
S14	1	control adj information with database adj session	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:04
S15	1	control adj information with query same persistent	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:08
S16	7	control adj information with query same (persistent or global)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:13
S17	4059	(convey$3 or send) near3 control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:16
S18	612	(convey$3 or send) near3 control adj information same store$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 19:09

S19	458	(convey$3 or send) near2 control adj information same store$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:23
S20	10	((convey$3 or send) near2 control adj information) with (external or session) same store$1	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:24
S21	88	database adj control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:28
S22	0	database adj control adj information and bind near3 tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:28
S23	0	database adj control adj information and bind$3 near3 tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:29
S24	55	control adj information and bind$3 near3 tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:47
S25	5	control adj information same bind$3 near3 tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 12:31
S26	1	control adj information same tag adj handler	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:23
S27	3	control adj information and tag adj handler	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:23
S28	302	XML same database adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:47

EAST Search History

S29	144	XML with database adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:51
S30	2	XML with database adj query with tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:48
S31	1	XML with (together or store or join or associate) with database adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 15:52
S32	3	XML with (together or store or join or associate or link) with database adj query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:09
S33	2047	query with additional with information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 19:01
S34	395	query with additional with (priority or security or access)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:14
S35	1	query with additional with (priority or security or access) with tag	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:14
S36	135	query with additional with (priority or security or access) with (tag or data or field)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:22
S37	16	query with stored with control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:23
S38	0	query with "associate$2" with control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:34

S39	36	query with associate$2 with control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:46
S40	9	(SQL or statement) with associate$2 with control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/01 16:52
S41	7	(("20030014394") or ("6618721") or ("5963932") or ("6253203") or ("6098081") or ("5133075") or ("6678882")).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/02 17:47
S42	1	control adj information same (SQL or query) same embed$2	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 10:03
S43	6	control adj information same (SQL or query) same embed$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 10:06
S44	4	control adj information with database adj2 component	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 15:45
S45	101	((control adj information) or parameter or tag) with embed$3 with (query or (database adj2 component) or sql)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:25
S46	76	(compound or complex or hybrid) adj (SQL or database) adj2 statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:37
S47	1025	xml near2 query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:38
S48	536	xml near2 sql	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:38

EAST Search History

S49	3	xml near2 sql with (combine or together)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:39
S50	282	xml near2 sql with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:39
S51	12	xml near2 sql with (statement or query) with (tag or parameter)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:42
S52	0	xml adj in adj sql with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:42
S53	0	"xml in sql" with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:42
S54	144	xml adj3 sql with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:43
S55	99	xml adj2 sql with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:47
S56	0	sql adj2 include adj xml with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:48
S57	1	sql adj2 include adj2 xml with (statement or query)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 16:48
S58	1	sql adj2 include adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:20

S59	0	sql adj query with contains adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:22
S60	0	sql near2 query with contain adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:23
S61	4	sql with contain adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:23
S62	4	sql with contain adj2 xml	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 17:23
S63	7	(("20030014394") or ("6618721") or ("5963932") or ("6253203") or ("6098081") or ("5133075") or ("6678822")).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/02 18:08
S64	0	("sqlwithextension").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/08/02 18:09
S65	635	sql with extension	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 18:09
S66	47	sql with extension with (priority or access or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/02 18:10
S67	1681	store control information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:21
S68	1596	store near control adj information	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:22

EAST Search History

S69	0	store near control adj information same user adj context	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:22
S70	44	store near control adj information same parameter	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:26
S71	9	store near control adj information same query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:57
S72	10	store near priority same query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:57
S73	1	store near priority with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:58
S74	2	store near3 priority with query	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	NEAR	ON	2006/08/03 15:58
S75	46	control adj information same SQL and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 18:55
S76	30	control adj information same statement and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 18:55
S77	16	control adj information with statement and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 18:55
S78	41	sql with priority	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 19:08

EAST Search History

S79	10	(convey$3 or send) near3 control adj information same store$1 and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/03 19:09
S80	1	security adj access with database adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:02
S81	12	(priority or security) same database adj statement	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:14
S82	803	(database near2 query) with parameter	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:17
S83	611	(database near query) with parameter	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:17
S84	9	(database near query) with parameter near3 (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:26
S85	1138	(request or statement or query) with parameter near3 (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:27
S86	81	database with (request or statement or query) with parameter near3 (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:32
S87	286	(message or request or statement or query) adj includes adj (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:33
S88	134	database and (message or request or statement or query) adj includes adj (access or priority or security)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:34

S89	40	database and (message or request or statement or query) adj includes adj (access or priority or security) with (parameter or information)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/08/04 10:35